

**1. Adjustable Spanners**

Generally Conforming to IS 6149-1984 Grade II



Order-Code	Length mm	Least max. Opening mm	Std. Pkg
12100A	110	13	10
12100BP, 12100BC	155	19	10
12100CP, 12100CC	205	26	10
12100DP, 12100DC	255	30	5
12100EP, 12100EC	305	35	5
12100FP, 12100FC	380	43	2
12100G	445	55	1
12100H	606	62	1
12100I	780	90	1

**2. Adjustable Spanners (with Soft Grip)**

Generally Conforming to IS 6149-1984 Grade II



Order-Code	Length mm	Least max. Opening mm	Std. Pkg
12101A	110	13	10
12101BP, 12101BC	155	19	10
12101CP, 12101CC	205	26	5
12101DP, 12101DC	255	30	5
12101EP, 12101EC	305	35	5
12101FP, 12101FC	380	43	2

**3. Combination Pliers**

**(Insulated with Thick C. A. Sleeve)**

Generally Conforming to IS 3650-1981



Order-Code	Length mm	Std. Pkg
12102A,12102A-JC	165	10
12102B, 12102B-JC	185	10
12102C, 12102C-JC	210	10
12102D-JC	255	2
12102E-JC	300	1

**4. Long Nose Pliers**

**(Insulated with thick C. a. Sleeve**

Generally Conforming to IS 3552-1989



Order-Code	Description	Length mm	Std. Pkg
12103A	Flat Nose	165	10
12103B	Long Nose	170	10
12103C	Round Nose	165	10
12103D	Long Nose Econ	165	10
12103E	Long Nose Econ	215	10
12103F	Long Nose Econ	280	2

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in



**5. Bent Nose Pliers (Econ)**  
**Insulated with thick C. A. Sleeve**  
 Generally Conforming to IS 3552-1989



Order-Code	Description	Length mm	Std. Pkg
12104A	Bent Nose Econ	165	5
12104B	Bent Nose Econ	210	5
12104C	Bent Nose Econ	270	2

**6. Side Cutting Pliers**  
**Insulated with thick C. A. Sleeve**  
 Generally Conforming to IS 4378-1990



Order-Code	Length mm	Std. Pkg
12105A	165	10
12105B (with cable stripper)	165	10
12105C (Econ)	165	10
12105D (Econ)	205	10
12105E	190	2
12105F	165	2

**7. Circle Nose Pliers (Long Reach)**



Order-Code	Description	Length mm	Std. Pkg
12107A	Circle Nose	275	2

**8. (A) Circlip Pliers**  
**(Insulated with Thick C. A. Sleeve)**  
 Generally Conforming to IS 1789-1976(Int.)  
 IS 7990-7976(Ext.)



Order Code	Description	Capacity mm	Length mm	Std. Pkg
12106A	Internal St. Nose	19-60	195	10
12106B	Bent Nose	19-60	180	10
12106C	External St. Nose	19-60	195	10
12106D	Bent Nose	19-60	180	10

**8. (B) Circlip Pliers**  
**P.V.C Dip Coated Sleeve**  
 Generally Conforming to IS 1789-1976(Int.)  
 IS 7990-



Order Code	Description	Capacity mm	Length mm	Std. Pkg
12106E	Internal St. Nose	8-25	130	5
12106F	Bent Nose	8-25	120	5
12106G	External St. Nose	8-25	125	5
12106H	Bent Nose	8-25	120	5
12106I	External Bent Nose	19-60	165	10
12106J	Internal St. Nose	40-100	230	2
12106K	Bent Nose	40-100	220	2
12106L	External St. Nose	40-100	230	2
12106M	Bent Nose	40-100	220	2
12106N	Internal St. Nose	85-165	320	1
12106O	Bent Nose	85-165	300	1
12106P	External St. Nose	85-165	320	1
12106Q	Bent Nose	85-165	300	1

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
 Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
 Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
 Website: www.tesca.in

**9. Mini Pliers**

Two color dip coated sleeve



Order-Code	Description	Length mm	Std. Pkg
12108A	Flat Nose	125	10
12108B	Round Nose	125	10
12108C	Long Nose	125	10
12108D	Bent Nose	125	10
12108E	Side Cutting	110	10
12108F	End Cutting	100	10
12108G	Combination	125	10
12108H	Long Needle Nose	150	10
12108I	Long Needle Bent	125	10

**10. Pincers**

Generally Conforming to IS 4095-1991



Order-Code	Length mm	Std. Pkg
12109A	200	5
12109B	160	5

**11. Tower Pincer**



Order-Code	Length mm	Std. Pkg
12110	225	1

**12. (A) Water Pump Pliers (Insulated with Thick C. A. Sleeve)**


Generally Conforming to IS 6112-1001



Order-Code	Length mm	Std. Pkg
12111A	200	2
12111B	250	5
12111C	250	5
12111D	300	2

**13. Locking Pliers**

Generally Conforming to IS 10372-1982



Order-Code	Description	Length mm	Std. Pkg
12112A	-	125	5
12112B	-	175	5
12112C	Curved Jaw	250	5
12112D	Straight Jaw	250	5
12112E	Nose	250	5
12112F	Long Nose	215	1
12112G	Clamp Type with Swivel Pads	280	1

**14. Plastic Cutting Pliers**



Order-Code	Description	Length mm	Std. Pkg
12113	Plastic Cutting Pliers	157	2

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**15. Slip Joint Pliers**

Generally Conforming to IS 13323-1992



Order-Code	Length mm	Std. Pkg
12114	150	10

**16. Drain Trap Pliers 9"**

Generally Conforming to IS 5995-1971



Order-Code	Length mm	Std. Pkg
12115	235	2

**17. Wire Stripping Pliers 6"**

Generally Conforming to IS 5087-1969



Order-Code	Length mm	Std. Pkg
12116A	130	10
12116B	150	10
12116C	160	5

**18. Screw Drivers**

C.A. Transparent Green Handle  
Generally Conforming to IS 844-1979



Order Code	Blade Length mm	Blade Diameter mm	Trip Dimen. mm	Std. Pkg
12117A	50	3	1.6 x 0.4	10
12117B	75	3	1.6 x 0.4	10
12117C	50	3	3.0 x 0.4	10
12117D	75	3	3.0 x 0.5	10

Note: Specifications are subject to change.

12117E	100	3	3.0 x 0.4	10
12117F	75	3.5	3.5 x 0.5	10
12117G	150	3.5	3.5 x 0.5	10
12117H	100	4	4.0 x 06	10
12117I	125	4	4.0 x 06	10
12117J	200	4	4.0 x 06	10
12117K	75	5	5.0 x 0.6	10
12117L	150	5	5.0 x 0.8	10
12117M	75	6	6.0 x 06	10
12117N	100	6	6.0 x 06	10
12117O	125	6	6.0 x 0.8	10
12117P	150	6	6.0 x 0.8	10
12117Q	200	6	6.0 x 0.8	10
12117R	250	6	6.0 x 0.8	10
12117S	125	8	8.0 x 1.0	10
12117T	150	8	8.0 x 1.2	10
12117U	175	8	8.0 x 1.2	10
12117V	200	8	8.0 x 1.2	10
12117W	250	8	8.0 x 1.2	10
12117X	300	8	8.0 x 1.2	10
12117Y	150	8	8.0 x 1.2	10
12117Z	200	10	10.0 x 1.2	10
12117AA	250	10	10.0 x 1.2	10
12117AB	300	10	10.0 x 1.5	10
12117AC	400	10	10.0 x 1.5	5
12117AD	450	10	13.0 x 1.9	5

**19. Insulated Screw Drivers**



Order Code	Blade Length mm	Blade Diameter mm	Trip Dimen. mm	Std. Pkg
12118A	125	3.5	3.5 x 0.5	10
12118B	150	3.5	3.5 x 0.5	10
12118C	200	3.5	3.5 x 0.5	10
12118D	150	4.0	4.0 x 06	10
12118E	200	4.0	4.0 x 06	10
12118F	100	5.0	5.0 x 0.6	10
12118G	125	5.0	5.0 x 0.6	10
12118H	150	5.0	5.0 x 0.8	10
12118I	200	5.0	5.0 x 0.8	10
12118J	250	5.0	5.0 x 0.8	10
12118K	300	5.0	5.0 x 0.8	10
12118L	150	6.0	6.0 x 0.8	10
12118M	200	6.0	6.0 x 0.8	10
12118N	250	6.0	6.0 x 0.8	10
12118O	200	8.0	8.0 x 1.2	10
12118P	300	8.0	8.0 x 1.2	10
12118Q	250	10.0	10.0 x 1.2	10

**Tesca Technologies Pvt. Ltd.**

20. Philips Screw Drivers 



Order-Code	Philips Tip No.	Std. Pkg
12119A	0	10
12119B	0	10
12119C	0	10
12119D	1	10
12119E	1	10
12119F	1	10
12119G	1	10
12119H	2	10
12119I	2	10
12119J	2	10
12119K	2	10
12119L	2	10
12119M	3	10
12119N	3	10
12119O	3	10
12119P	3	10
12119Q	4	10

21. Black Tip Philips Screw Drivers



Order-Code	Philips Tip No.	Std. Pkg
12120A	1	10
12120B	2	10
12120C	2	10
12120D	3	10

22. Stubby Screw Drivers 



Order-Code	Blade Length mm	Tip Dimen.	Std. Pkg
12121	50	Philips No.2	10

23. two in One Stubby Screw Drivers



Order-Code	Blade Length mm	Tip Dimen.	Std. Pkg
12122	30	2 Philips 6.0 x 0.8	10

24. Two in One Screw Dri



Order Code	Blade Length mm	Blade Diameter mm	Trip Dimen. mm	Std. Pkg
12123A	55	3.0	0 pilips 3.5 x 0.5mm	10
12123B	75	5.0	1 pilips 5.0 x 0.8mm	10
12123C	60	3.5	00 pilips 2.3 x 0.4mm	10
12123D	200	5.0	1 pilips 3.5 x 0philips	10
12123E	200	6.0	2 pilips 5.0 x 1philips	10
12123F	200	8.0	3 pilips 6.0 x 2philips	10
12123G	250	6.0	2 pilips 6.0 x 0.8mm	10
12123H	100	6.0	2 pilips 6.0 x 0.7mm	10
12123I	140	6.0	2 pilips 6.0 x 0.8mm	10
12123J	140	8.0	3 pilips 6.0 x 0.9mm	10
12123K	200	6.0	2 pilips 6.0 x 0.8mm	10
12123L	250	6.0	2 pilips 6.0 x 0.8mm	10
12123M	100	6.0	2 pilips 6.0 x 0.7mm	10
12123N	140	6.0	2 pilips 6.0 x 0.8mm	10

25. Black Tip Two in On Screw Drivers



Order Code	Blade Length mm	Blade Diameter mm	Trip Dimen. mm	Std. Pkg
12124	250	6.0	2 pilips 6.0 x 0.8mm	10

26. Torx Screw Drivers 



Order Code	Blade Length mm	Blade Diameter mm	Std. Pkg
12125A	75	3.0	10
12125B	150	3.0	10
12125C	75	3.0	10
12125D	150	3.5	10
12125E	75	3.5	10
12125F	150	3.5	10
12125G	75	3.5	10
12125H	150	3.5	10
12125I	75	5.0	10
12125J	150	5.0	10
12125K	100	5.0	10
12125L	200	5.0	10

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

12125M	100	6.0	10
12125N	200	6.0	10
12125O	100	6.0	10
12125P	200	6.0	10
12125Q	125	8.0	10
12125R	200	8.0	10

**27. Striking Screw Drivers**




Order-Code	Tip Dimension mm	Std. Pkg
12126A	8.0 x 1.2	10
12126B	8.0 x 1.2	10
12126C	10.0 x 1.2	10
12126D	10.0 x 1.5	10

**28. Poker Screw Drivers**



Order Code	Blade Length mm	Blade Diameter mm	Trip Dimen. mm	Std. Pkg
12127	95	6.0	- -	10

**29. Precision Screw Drivers Sets**



Order Code		Std. Pkg
12128A	Precision screw driver set (6 pcs) (containing flat 1.4mm, 2.0mm, Tip 2.4, 3.0mm & Philips Tip no. 0&1)	2
12128B	Precision screw driver set (6 pcs) (containing flat 0.8mm, 1.0mm, Tip 1.2, 1.6mm, 2.0mm, & 2.5mm)	2
12128C	Precision screw driver set (6 pcs) (containing Torx: T5, T6, T7, T8, T9, T10)	2

**30. Screw Drivers Sets**



Order Code	Contents	No. of Blades	Std. Pkg
12129	Philips 00, 1, 2, 3, 6 x 0.6	6	10

**31. Screw Drivers Sets**



Order Code	Contents	No. of Blades	Std. Pkg
12130A	6.0 x 0.8, 3.5 x 0.5, Philips o, Square Poker, Philips 1	5	10
12130B	6.0 x 0.8, 3.5 x 0.5, Philips o, Square Poker, Philips 1	5	10
12130C	3.5 x 0.5, 4.3 x 0.6, 6 x 0.8, Philips No. 1, Philips No. 2, poker Round & Sq. Wooden screw Type	8	10
12130D	6.0 x 0.8, 3.5 x 0.5, Philips o, Square Poker. Philips 1+Extension Rod	6	10

**32. Screw Drivers**

Generally Confirming to IS 5579-19



Order Code	Handle	Overall Length mm	Std. Pkg
12131A	Yellow	130	10
12131B	Green	125	10
12131C	Green	180	10
12131D	Yellow	170	10
12131E	Yellow	200	10
12131F	Yellow	125	10
12131G	Yellow	1200	10

**33. Screw Drivers**



Order-Code	Length mm	Std. Pkg
12132A	130	10
12132B	130	5

**34. Screw Drivers Kits (Hanging Pouch)**



Order Code	Contents	Std. Pkg
12133	Consisting of 8 screw drivers 12117K, 12117N, 12117Y, 12117N, 12117F, 12117I, 12118I & 12120	5

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tesca.in

**35. Screw Drivers Kits (Blister Packing)**



Order Code	Contents	Std. Pkg
12134A	Consisting of 7 screw drivers	5
12134B	Consisting of 5 philips screw drivers	5

**36. Philips Head Screw Drivers Bits** 

Generally Confirming to IS 12168 part II 1987  
25mm & 50mm Single Head



Order Code	Size	Type	Std. Pkg
12135A	25	PH 0	100
12135B	25	PH 1	100
12135C	25	PH 2	100
12135D	25	PH 3	100
12135E	50	PH 0	100
12135F	50	PH 1	100
12135G	50	PH 2	100
12135H	50	PH 3	100

**37. Philips Double Head Screw Drivers Bits** 


Generally Confirming to IS 12168 part II 1987  
50mm, 65mm & 110mm Double Head



Order Code	Size	Type	Std. Pkg
12136A	50	PH1 x PH1	100
12136B	50	PH1 x PH2	100
12136C	50	PH1 x PH3	100
12136D	50	PH2 x PH2	100
12136E	50	PH2 x PH3	100
12136F	50	PH3 x PH3	100
12136G	65	PH1 x PH2	100
12136H	65	PH1 x PH3	100
12136I	110	PH1 x PH1	100
12136J	110	PH1 x PH2	100
12136K	110	PH2 x PH2	100
12136L	110	PH2 x PH3	100
12136M	110	PH3 x PH3	100

Note: Specifications are subject to change.

**38. Torx Head Screw Drivers Bits**


Size: 25mm, & 50mm 



Order Code	Size	Type	Std. Pkg
12137A	25	T5	100
12137B	25	T6	100
12137C	25	T7	100
12137D	25	T8	100
12137E	25	T9	100
12137F	25	T10	100
12137G	25	T15	100
12137H	25	T20	100
12137I	25	T25	100
12137J	25	T27	100
12137K	25	T30	100
12137L	25	T40	100
12137M	25	T45	100
12137N	50	T5	100
12137O	50	T6	100
12137P	50	T7	100
12137Q	50	T8	100
12137R	50	T9	100
12137S	50	T10	100
12137T	50	T15	100
12137U	50	T20	100
12137V	50	T25	100
12137W	50	T27	100
12137X	50	T30	100
12137Y	50	T40	100

**39. Flat Head Bits** 

Generally Confirming to IS 12168 part IS 1987



Order Code	Size	Type	Std. Pkg
12138A	25	3 x 0.5	100
12138B	25	4 x 0.6	100
12138C	25	5 x 0.8	100
12138D	25	6 x 1.0	100
12138E	25	8 x 1.2	100
12138F	50	3 x 0.5	100
12138G	50	4 x 0.6	100
12138H	50	5 x 0.8	100
12138I	50	6 x 1.0	100
12138J	50	6 x 1.0	100

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

#### 40. Hexagon Head Bits

Generally conforming to IS 12481-1988



Order Code	Length mm	Size mm/Inch	Std. Pkg
12139	25mm	1.5mm	100
12139A	25mm	2 mm	100
12139B	25mm	2.5mm	100
12139C	25mm	3 mm	100
12139D	25mm	4 mm	100
12139E	25mm	5 mm	100
12139F	25mm	6 mm	100
12139G	25mm	8 mm	100
12139H	25mm	10 mm	100
12139I	50mm	1.5mm	100
12139J	50mm	2 mm	100
12139K	50mm	2.5mm	100
12139L	50mm	3 mm	100
12139M	50mm	4 mm	100
12139N	50mm	5 mm	100
12139O	50mm	6 mm	100
12139P	50mm	8 mm	100
12139Q	50mm	10 mm	100
12139R	50mm	1/16 Inch	100
12139S	50mm	5/64 Inch	100
12139T	50mm	3/32 Inch	100
12139U	50mm	7/64 Inch	100
12139V	50mm	1/8 Inch	100
12139W	50mm	9/64 Inch	100
12139X	50mm	5/32 Inch	100
12139Y	50mm	3/16 Inch	100
12139Z	50mm	7/32 Inch	100
12139AA	50mm	1/4 Inch	100

#### 41. Two in one Screw Driver Bits



Order Code	Size	Type	Std. Pkg
12140A	50mm	PH 2 x 6	100
12140B	65mm	PH 1 x SL 4.5	100
12140C	65mm	PH 2 x SL 5.5	100
12140D	65mm	PH 3 x SL 6.5	100
12140E	110mm	PH 2 x SL 6	100

Note: Specifications are subject to change.

### Tesca Technologies Pvt. Ltd.

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

#### 42. Screw Driver Bits Set (80 pcs)



Order Code	Contents
12141A	25mm. Hex - 2, 2.5, 3, 4, 5, 6 25mm. Flat - 3, 4,5, 5.5, 6, 6.5 25mm. Torx (without hole) - T8, T10, T15, T20, T25, T27, T30, T40 25mm. Torx (with hole) - TT8, TT10, TT15, Tt20, TT25, TT27, TT30, TT40 25mm. Philips - PH0, PH1, PH2, PH3 25mm. Adaptor - 1/4 Sq. Driver 50mm. Hex - 2, 2.5, 3, 4, 5, 6 50mm. Flat - 3, 4,5, 5.5, 6, 6.5 50mm. Torx (without hole) - T8, T10, T15, T20, T25, T27, T30, T40 50mm. Torx (with hole) - TT8, TT10, TT15, TT20, TT25, TT27, TT30, Tt40 50mm. Philips - PH0, PH1, PH2, PH3 50mm. Adaptor - 1/4 Sq. Drive 65mm. Two in one PH1 x SL4.5, PH 2 x SL 5.5, PH 3 x SL 6.5 PH1 x PH1, PH1 x PH2, PH2 x PH2, PH2 x PH3, PH3 x PH3 110mm. Two in one - PH1 x PH1, PH2 x PH2, PH3 x PH3 60mm. Bit Holder. Ratchet Bit Driver Handle

#### 43. Bit Driver Set



Order Code	Contents	Std. Pkg.
12142A	a. Bit driver in CRV steel, satin finish, PP+TPR handle b. Bits in CRV material sanding grey finish 1. Philips bits of size 0, 1, 2, 3 2. Flat bits of size 2.5, 3.0, 4.0, 5.0, 6mm 3. Torx bits T9, T10, T15, T20, T25, T30, T40 4. Tri wing bits 1, 2, 3, 4 5. Hex bits of size 2.0, 2.5, 3, 4, 5, 6 6. Square bits of size S0, S1, S2, S3	2 sets

#### 44. Bit Driver



Order-Code	Size	Std. Pkg
12143A	8.0 x 125	5

#### 45. Bit Driver



Order Code	Size	Contents	Std. Pkg
12144A	8.0 x 125	Torx T5, T6, T8, T10 Philips No. 0, 1, 2, Flat: 3mm, 4mm, 5mm	5
12144B	8.0 x 125	Torx T5, T6, T8, T10, T15, T20, T25, T 27, T 30 T40	5
12144C	8.0 x 125	Philips No. 0,1,2,3 Flat tip 3x0.5,4x0.6, 5x0.8, 6x1.0, 8x1.2	5



**46. Universal Sets**




Order Code	Contents	Std. Pkg.
12145A	Screw driver set 12130A, Insulated plier 12102, Adjustable Spanner 12100	1 set
12145B	Insulated plier 12100, Adjustable Spanner 12102 S.D., S.D set 12130B, 12117A & 12119A	1 set

**47. Sockets 6.3mm(1/4) Square Drive: Flank Drive**  
Generally confirming to IS 7381-1986



Order-Code	Size mm	Std. Pkg
12146A	4	5
12146B	4.5	5
12146C	5	5
12146D	5.5	5
12146E	6	5
12146F	7	5
12146G	8	5
12146H	10	5
12146I	11	5
12146J	12	5
12146K	13	5
12146L	14	5

**48. Sockets Accessories 6.3mm(1/4) Square Drive**  
Generally confirming to IS 7975 part II-1991, IS 7991-1991



Order-Code	Size	Length mm	Std. Pkg
12147A	Ratchet Handle	160	2
12147B	Flexible Handle	140	2
12147C	T - Handle	115	2
12147D	External Bar 2	50	2
12147E	External Bar 4	100	2
12147F	Universal Joint	39	2

**49. Sockets Set 6.3mm(1/4) Square Drive**



Order Code	Contents
12148A	Socket - 4,4.5,5,5.5,6,7,8,10,11,12,13,14,1/4, T20,T25,T30,T40 with Accessories-12147A to 12147F

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tesca.in

**50. Sockets 9.5mm(3/8) Square Drive: Flank Drive**  
Generally confirming to IS 7381-1986



Order-Code	Size mm	Std. Pkg
12149A	6	5
12149B	7	5
12149C	8	5
12149D	9	5
12149E	10	5
12149F	11	5
12149G	12	5
12149H	13	5
12149I	14	5
12149J	17	5
12149K	19	5
12149L	21	5
12149M	22	5

**51. Sockets Accessories 9.5mm(3/8) Square Drive**

Generally confirming to IS 7975 part II-1991, IS 7991-1991



Order-Code	Size	Length mm	Std. Pkg
12150A	Ratchet Handle	215	2
12150B	Flexible Handle	225	2
12150C	T - Handle	200	2
12150D	External Bar 2	76	2
12150E	External Bar 4	152	2
12150F	Universal Joint	55	2

**52. Sockets Set 9.5mm(3/8) Square Drive**



Order Code	Contents
12151A	Socket - 6,7,8,10,11,12,13,14,17,19,21,22, BSP21 with Accessories-12150A to 12150F

**53. Sockets 12.7mm(1/2) Square Drive: Flank Drive**  
As per IS 6131-1980 & 7381-1986



Order-Code	Standard Packing
12152A	10
12152B	5
12152C	5
12152D	5
12152E	5

**54. Exel Sockets 12.7mm(1/2) Square Drive:**

Flank Drive  
As per IS 6131-1980 & 7381-1986  
Bihexagonal & Hexagonal



Order-Code	Standard Packing
12153A	10
12153B	10
12153C	10
12153D	10
12153E	10
12153F	10
12153G	10
12153H	10
12153I	5
12153J	5
12153K	5
12153L	5
12153M	5

**55. Deep Sockets 12.7mm(1/2) Square Drive**



Order-Code	Size mm	Std. Pkg
12154A	8	5
12154B	10	5
12154C	11	5
12154D	12	5
12154E	13	5
12154F	14	5
12154G	15	5
12154H	16	5
12154I	17	5
12154J	18	5
12154K	19	5
12154L	20	5
12154M	21	5
12154N	22	5
12154O	24	5
12154P	27	2
12154Q	30	2
12154R	32	2

**56. Heavy Duty Hexagonal Sockets**

12.7mm (1/2) Square drive



Order-Code	Size mm	Std. Pkg
12155A	10	10
12155B	11	10
12155C	13	10
12155D	14	10
12155E	17	10
12155F	19	10
12155G	22	10
12155H	10	5

**57. Impact Sockets - Hexagonal: Flank Drive**

12.7mm (1/2) Square drive  
Generally conforming to 7993-1988



Order-Code	Size mm	Std. Pkg
12156A	8	10
12156B	9	10
12156C	10	10
12156D	11	10
12156E	12	10
12156F	13	10
12156G	14	10
12156H	15	10
12156I	16	10
12156J	17	10
12156K	18	10
12156L	19	10
12156M	20	10
12156N	21	5
12156O	22	5
12156P	23	5
12156Q	24	5
12156R	26	5
12156S	27	5
12156T	28	5
12156U	29	5
12156V	30	5
12156W	31	5
12156X	32	5

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**58. Sockets 12.7mm(1/2) Square Drive Spark Plug (C.R.V.)**



Order-Code	Size mm	Std. Pkg
12157A	16	5
12157B	21	5

**59. Hex. Bit Sockets 12.7mm(1/2) Square Drive**



Order-Code	Size mm	Std. Pkg
12158A	4	5
12158B	5	5
12158C	6	5
12158D	7	5
12158E	8	5
12158F	10	5
12158G	12	5
12158H	14	5
12158I	17	5
12158J	19	5

**60. Torx Bit Sockets 12.7mm(1/2) Square Drive**



Order-Code	Size mm	Std. Pkg
12159A	10	5
12159B	20	5
12159C	25	5
12159D	27	5
12159E	30	5
12159F	40	5
12159G	45	5
12159H	50	5
12159I	55	5
12159J	60	5
12159K	70	5

**61. Sockets Accessories 12.7mm(1/2) Square Drive**



Order Code	Product	Length mm	Std. Pkg
12160A	Extension Bar	50	5
12160B	Extension Bar	75	5
12160C	Extension Bar	125	5

Note: Specifications are subject to change.

12160D	Extension Bar	250	5
12160E	Extension Bar+ T Head Adaptor	250	2
12160F	Universal Joint	75	5
12160G	T-Handle	250	5
12160H	T-Handle	300	5
12160I	Angle Handle	56x190	5
12160J	Angle Handle	75x250	2
12160K	Angle Handle	75x300	2
12160L	Angle Handle	120x450	2
12160M	Ratchet Handle	255	1
12160N	Nut Spinner flexible	250	5
12160O	Nut Spinner Handle	450	1
12160P	Speeder Brace	400	2
12160Q	Square Type 8mm	41	10
12160R	Square Type 10mm	41	10
12160S	Hex Type 10mm	41	10
12160T	Female 1/2 to male 3/8	35	5
12160U	Female 1/2 to male 3/4	45	5
12160V	Female 3/4 to male 1/2	55	5
12160W	T Head Adaptor	44	5

**62. Sockets Set 12.7mm(1/2) Square Drive Bihexagonal & Hexagonal-Std. One Set**



Order Code	Contents
12161A, 12161B	Socket - 10,11,12,13,14,15,16,17,18,19,21,22, 23,24,26, 27,28,29,30,32,33,34 Accessories-1753, 1763, 1773, 1733, 1715
12161C, 12161D	Socket - 8,9,10,11,12,13,14,15,16,17,18,19,21,22,23,24, 26,27,28,29,30,32 Accessories-1753, 1763, 1773, 1733, 1715
12161E, 12161F	Socket - 11,12,13,14,15,16,17,18,19,21,22, 23,24,26,27,28,29,30,32 Accessories-1753, 1763, 1773, 1733, 1715
12161G, 12161H	Socket - 11,12,13,14,15,16,17,18,19,21,22, 23,24,26,27,28,29,30,32 Accessories-1753, 1763, 1773, 1733, 1715,1783
12161I, 12161J	Socket - 10,11,13,14,17,19,22,24,27,30,32 Accessories-1753, 1763, 1703, 1715
12161K, 12161L	Socket - 8,9,10,11,12,13,14,15,16,17,18,19,21,22, Accessories-1753, 1763, 1734, 1733,

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tesca.in

**63. Exel Sockets Set 12.7mm(1/2) Square Drive**  
Bihexagonal & Hexagonal-Std. One Set



Order Code	Contents
12162A, 12162B	Socket - 10,11,12,13,14,15,16,17,18,19,21,22, 23,24,26, 27,28,29,30,32,33,34 Accessories-12160C, 12160D, 12160F, 12160H, 12160M
12162C, 12162D	Socket - 8,9,10,11,12,13,14,15,16,17,18,19,21,22,23,24, 26,27,28,29,30,32 Accessories-12160C, 12160D, 12160F, 12160H, 12160M
12162E, 12162F	Socket - 11,12,13,14,15,16,17,18,19,21,22, 23,24,26,27,28,29,30,32 Accessories-12160C, 12160D, 12160F, 12160H, 12160M
12162G, 12162H	Socket - 11,12,13,14,15,16,17,18,19,21,22, 23,24,26,27,28,29,30,32 ; Accessories-12160C, 12160D, 12160F, 12160H, 12160M & 12160P
12162I, 12162J	Socket - 10,11,13,14,17,19,22,24,27,30,32 Accessories-12160C, 12160D, 12160M, 12160N
12162K, 12162L	Socket - 8,9,10,11,12,13,14,15,16,17,18,19,21,22, Accessories-12160C, 12160D, 12160H, 12160I
12162M, 12162N	Socket - 11,14,17,19,22,24 Accessories-12160I

**64. Sockets Accessories Set 19mm(3/4) Square Drive** As per IS 7991-1991 & 7975-1991



Order Code	Product	Length mm	Std. Pkg
12163A	Nut Spinner Handle	500	1
12163B	Extension Bar	100	1
12163C	Ratchet Handle + with Sq. Coupler	500	1
12163D	Square Coupler	52	5
12163E	Ratchet Handle	612	1
12163F	Extension Bar	200	1
12163G	Extension Bar	300	1
12163H	Extension Bar	400	1
12163I	T. Handle	500	1
12163J	Universal Joint	105	1
12163K	Angle Handle	450	1

**65. Sockets 19mm(3/4) Square Drive: Flank Drive**  
Bihexagonal & Hexagonal  
As per IS 6131-1980 & 7381-1986



Order-Code	Size mm	Std. Pkg
12164A,12164B	19	5
12164C,12164D	21	5
12164E,12164F	22	5

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

12164G,12164H	24	5
12164I,12164J	26	5
12164K,12164L	27	5
12164M,12164N	28	2
12164O,12164P	29	2
12164Q,12164R	30	2
12164S,12164T	32	2
12164U,12164V	33	2
12164W,12164X	34	2
12164Y,12164Z	35	2
12164AA,12164AB	36	2
12164AC,12164AD	38	2
12164AE,12164AF	41	1
12164AG,12164AH	42	1
12164AI,12164AJ	46	1
12164AK,12164AL	50	1
12164AM,12164AN	55	1
12164AO,12164AP	60	1
12164AQ,12164AR	65	1
12164AS,12164AT	70	1

**66. Impact Sockets 19mm(3/4) Square Drive: Flank Drive - Hexagonal**  
Generally Confirming IS 7993-1988



Order-Code	Size mm	Std. Pkg
12165A	32	1Pcs
12165B	33	1Pcs
12165C	34	1Pcs
12165D	35	1Pcs
12165E	36	1Pcs
12165F	38	1Pcs
12165G	41	1Pcs
12165H	46	1Pcs
12165I	50	1Pcs
12165J	55	1Pcs
12165K	60	1Pcs
12165L	65	1Pcs
12165M	70	1Pcs

**67. Bi-Hexagonal Sockets Set (3/4 Square Drive)**  
Bihexagonal & Hexagonal; Std. Pkg. 1 Set



Order-Code	Contents
12166A,12166B	Socket(mm)-22,24,27,30,32,36,38,41,46,50, Accessories-12163C, 12163G to 12163I

**68. Sockets 25.4mm(1) Square Drive**  
Generally Confirming to IS 7381-1986



Order-Code	Size mm	Std. Pkg
12167A	36	1
12167B	38	1
12167C	41	1
12167D	46	1
12167E	50	1
12167F	55	1
12167G	60	1
12167H	65	1
12167I	70	1
12167J	75	1
12167K	80	1

**69. Sockets Accessories 25.4mm(1) Square Drive**  
Generally Confirming to IS 7975 Part II-1991 IS 7991-1991



Order Code	Size	Length mm	Std. Pkg
12168A	Ratchet Handle	562	1
12168B	T-Handle-25	630	1
12168C	Extension Bar 8	200	1
12168D	Extension Bar 16	400	1
12168E	Adaptor 1 F 3/4 M	64	1
12168F	Adaptor 3/4 F1 M	64	1

**70. Bi-Hexagonal Socket Set**  
25.4mm(1) Square Drive



Order-Code	Contents
12169	Socket(mm)-36, 41, 46, 50, 55, 60, 65, 70, 75, & 80 Accessories-12168A to 12168D

**71. Torque Wrench Standard**  
Generally Confirming to IS 6789-2008



Order Code	Specification				Std. Pkg
	Dr.	Lb Ft	Kgf.m	N.m	
12170A	3/8	2-10	0.3-1.4	3-14	1
12170B	3/8	5-25	0.5-3.5	5-35	1
12170C	1/2	10-50	1.4-7	14-68	1
12170D	1/2	20-100	3-14	25-135	1
12170E	1/2	35-160	5-22	50-220	1
12170F	1/2	50-250	7-35	70-340	1
12170G	3/4	100-400	14-56	135-540	1
12170H	3/4	100-500	14-70	135-675	1
12170J	3/4	350-750	49-105	475-1015	1
12170K	1	400-1000	55-140	540-1380	1
12170L	1	750-1400	105-196	1000-1900	1
12170M	1	1000-2000	135-275	1350-2700	1

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**72. Torque Wrench Ratchet Type**



Order Code	Specification				Std. Pkg
	Dr.	Lb Ft	Kgf.m	N.m	
12171A	3/8	2-10	0.3-1.4	3-14	1
12171B	3/8	5-25	0.5-3.5	5-35	1
12171C	1/2	10-50	1.4-7	14-68	1
12171D	1/2	20-100	3-14	25-135	1
12171E	1/2	35-160	5-22	50-220	1
12171F	1/2	50-250	7-35	70-340	1
12171G	3/4	100-400	14-56	135-540	1
12171H	3/4	100-500	14-70	135-675	1
12171I	3/4	350-750	49-105	475-1015	1
12171J	1	400-1000	55-140	540-1380	1
12171K	1	750-1400	105-196	1000-1900	1
12171L	1	1000-2000	135-275	1350-2700	1

**73. Torque Wrench Professional Range**



Order Code	Specification				Std. Pkg
	Dr.	Lb Ft	Kgf.m	N.m	
12172A	3/8	2-8	0.3-1.2	2.5-11	1
12172B	3/8	4-24	0.5-3.4	5-33	1
12172C	1/2	10-50	1.2-7	12-68	1
12172D	1/2	20-100	3-14	25-135	1
12172E	1/2	40-160	5-23	50-223	1
12172F	1/2	50-250	7-35	70-330	1
12172G	3/4	100-410	14-57	140-560	1

**74. Home Tool Kit**



Order Code	Contents	Std. Pkg.
12173	Adjustable Spanner hammer with Handle, Screw driver set 12129, Screw driver 12117Y, screw driver 12121G Pliers, 12102 Rowel punch, Rowel plug 5 x 20mm Lubricating oil bottle, Knife, Nylon washer, Fuse wire 5 amp & 15 amp, Insulation tape 20mm Araldite-Hardner +Resion, M seal, Oil stone 1/2 tri. x 50mm, Nails 1/2 & 1, Nails 1 1/4 Nails 1 3/4, Woods screw 1/2, Woods screw 1.	1 set

**75. Professional Tool Kit**

Order Code	Contents	Std. Pkg.
12174	12123L - Screwdriver (2 in 1) 12130C - S/D Set 12117A - Screwdriver 12123C - Screwdriver (2 in 1) 12116B - Wire Stripping Pliers 12102 - 8- Pliers 12111C - W.P. Plier, 200 BP - Hammer 12100 - ADJ Spanner	1 set

**76. Pipe Wrenches (Stillson Type)**

Generally Conforming to IS 4003 (I) 1970



Order Code	Length mm	Least Max Opening	Suitable for Pipe	Std. Pkg
12175A	250	33mm	1	5
12175B	300	42mm	1-1/4	5
12175C	350	48mm	1-1/2	5
12175D	450	60mm	2	5
12175E	600	73mm	2-1/2	5
12175F	900	95mm	3	2

**77. Universal Pipe Wrenches**



Order Code	Length mm	Least Max Opening	Suitable for Pipe	Std. Pkg
12176A	275	38mm	1	5
12176B	360	52mm	1-1/2	2

**78. Heavy Duty Pipe Wrenches**



Order Code	Length mm	Least Max Opening	Suitable for Pipe	Std. Pkg
12177A	200	33mm	1	2
12177B	250	48mm	1-1/2	2
12177C	300	60mm	2	2
12177D	350	60mm	2	2
12177E	450	73mm	2-1/2	2
12177F	600	95mm	3	1
12177G	900	150mm	5	1
12177H	1200	200mm	7	1


**79. Aluminium Handle Pipe Wrenches**



Order Code	Length mm	Least Max Opening	Suitable for Pipe	Std. Pkg
12178A	250	48mm	1-1/2	2
12178B	350	60mm	2	2
12178C	450	73mm	2-1/2	2
12178D	600	95mm	3	1
12178E	900	150mm	5	1
12178F	1200	200mm	7	1

**80. Chain Pipe Wrenches**

Generally Conforming to IS 4125 1972



Order Code	Length mm	Suitable for Pipe	Std. Pkg
12179A	900	100	1
12179B	1000	150	1
12179C	1200	200	1
12179D	1300	250	1
12179E	1400	300	1
12179F	1585	324	1

**81. Spres for Chain Pipe Wrenches**

Chain with Link



Order Code	Chain Length mm	Size	Std. Pkg
12180A	675	4	1
12180B	825	6	1
12180C	975	8	1
12180D	1125	10	1
12180E	1275	12	1

**82. Pipe Vices**

Generally Conforming to IS 6007-1971



Order Code	Length mm	Suitable for Pipe	Std. Pkg
12181A	0	10-40	1
12181B	1	10-60	1
12181C	2	10-90	1
12181D	3	15-115	1
12181E	4	15-165	1

**83. Hammer with Handle**

(Ball Pein & Cross Pein)

IS 841-1983



Order-Code	Weight Gms.	Std. Pkg
12182A	110	6
12182B	200	6
12182C	340	2
12182D	500	2
12182E	600	2
12182F	800	2

**84. Claw Hammer with Handle**

IS 6546-1989



Order-Code	Weight Gms.	Std. Pkg
12183A	340	2
12183B	450	2

**85. Machinist Hammer with Handle**

IS 841-1983



Order-Code	Weight Gms.	Std. Pkg
12184A	100	6
12184B	200	6
12184C	300	6
12184D	400	2
12184E	500	2

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**


IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**86. Club Hammer with Handle**  
IS 841-1983



Order-Code	Weight Gms.	Std. Pkg
12185A	800	2
12185B	1000	2
12185C	1250	2
12185D	1500	2

**87. Club Hammer Head only**



Order-Code	Weight Gms.	Std. Pkg
12186	1250	2

**88. Sledge Hammer Head only**



Order-Code	Weight Gms.	Std. Pkg
12187A	900	2
12187B	1350	1
12187C	1800	1
12187D	2700	1
12187E	3600	1
12187F	4500	1
12187G	5400	1
12187H	6300	1
12187I	7200	1
12187K	8100	1
12187L	9000	1

**89. Sledge Hammer with Hickory wood handle**  
IS 841-1983



Order-Code	Weight Gms.	Std. Pkg
12188A	1350	2
12188B	1800	1
12188C	3600	1
12188D	5400	1
12188E	6300	1

**90. Electrician Hammer**



Order-Code	Standard Packing
12189	6

**91. Soft Faced Hammer with Handle**  
Generally conforming to IS 10838-1984



Order-Code	Mallet Size mm	Std. Pkg
12190A	20	4
12190B	25	4
12190C	30	4
12190D	40	2
12190E	50	2

**92. Soft Faced Hammer Spares**  
Generally conforming to IS 10838-1984



Order-Code	Mallet Size mm	Std. Pkg
12191A	20	10
12191B	25	10
12191C	30	10
12191D	40	10
12191E	50	10

**93. C Clamps**

As per IS 1981-1988



Order-Code	Max. Opening mm	Std. Pkg
12192A	55	1
12192B	80	1
12192C	105	1
12192D	155	1
12192E	205	1
12192F	255	1
12192G	305	1

**94. F Clamps (Light Duty)**



Order-Code	Max. Opening mm	Std. Pkg
12193A	200	1
12193B	250	1
12193C	300	1
12193D	400	1
12193E	500	1
12193F	600	1

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**95. F Clamps (Heavy Duty)**



Order-Code	Max. Opening mm	Std. Pkg
12194A	250	1
12194B	300	1
12194C	400	1
12194D	500	1
12194E	600	1

**96. Box Spanners (Std. Pkg. 1 Pc.)**

Generally Conforming to IS 2030-1989



Order Code	Size AF	Length mm	Suitable for	Std. Pkg
12195A	30 x 32	400	Tata	1
12195B	27 x 30	400	Shaktiman	1
12195C	24 x 27	400	Tata/Ashok Leyland	1
12195D	27 x 33	400	Tata/Ashok Leyland	1
12195E	27 x 27	400	Tata	1
12195F	30 x 30	400	Tata	1
12195G	32 x 32	400	Tata	1
12195H	32 x 32	400	Tata	1
12195I	32 x 33	400	Tata/Ashok Leyland	1
12195J	33 x 33	400	Ashok Leyland	1
12195K	33 x 33	400	Ashok Leyland	1
12195L	Tommy Bar	750	Std. Pkg.-5 nos	1
12195M	Tommy Bar	1100	Std. Pkg.-5 nos	1

**97. L Spanners**

Generally Conforming to SI 2030-1989



Order Code	Size AF	Length mm	Suitable for	Std. Pkg
12196A	18A/F	250	Indica	5
12196B	19A/F	250	Maruti	5
12196C	18A/F	300	Tata/mahindra	5
12196D	21A/F	310	Toyota	5

**98. Cross Rim Wrench**


Generally Conforming to IS 2030-1989



Order Code	Size A/F	Length mm	Std. Pkg
12197A	10 x13 11 x14	460	1
12197B	17 x 19 18 x 21	460	1

**99. Tubular Box Spanners**

Generally Conforming to IS 2030-1989



Order Code	Size mm	Std. Pkg
12198A	6 x 7	10
12198B	8 x 9	10
12198C	10 x 11	10
12198D	12 x 13	10
12198E	14 x 15	10

Note: Specifications are subject to change.

12198F	16 x 17	10
12198G	18 x 19	5
12198H	20 x 22	5
12198I	21 x 23	5
12198J	24 x 26	5
12198K	24 x 27	5
12198L	25 x 28	5
12198M	30 x 32	5

**100. Tubular Spanners Set with Tommy Bar**



Order-Code	Contents
12199A	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 Tommy Bar - 1) Dia 12x250mm, 2) Special Tommy
12199B	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 Tommy Bar - 1) Dia 12x250mm, 2) Special Tommy

**101. Double Ended Spanners (chrome plated)**

Generally Conforming to IS 2028-2004



Order Code	Size mm	Size w/w	Std. Pkg
12200A	6 x 7	-	10
12200B	8 x 9	-	10
12200C	8 x 10	-	10
12200D	9 x 11	-	10
12200E	10 x 11	1/8 x 3/16	10
12200F	10 x 12	-	10
12200G	12 x 13	3/16 x 1/4	10
12200H	13 x 16	-	10
12200I	14 x 15	1/4 x 5/16	10
12200J	14 x 17	5/17 x 3/8	10
12200K	16 x 17	-	10
12200L	18 x 19	-	10
12200M	18 x 21	-	10
12200N	—	5/16 x 7/16	10
12200O	19 x 22	-	10
12200P	20 x 22	3/8 x 7/16	10
12200Q	21 x 23	7/16 x 1/2	10
12200R	24 x 26	7/16 x 9/16	10
12200S	24 x 27	1/2 x 9/16	10
12200T	25 x 28	9/16 x 5/8	10
12200U	—	5/8 x 3/4	10
12200V	30 x 32	9/16 x 11/16	10

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in



**102. Double Ended Spanners Sets**



Order-Code	Contents
12201A	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
12201B	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
12201C	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27
12201D	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32
12201E	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32
12201F	3/16x1/4, 5/16x3/8, 7/16x9/16, 14x17, 19x22
12201G	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2
12201H	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4

**103. Double Ended Spanners (Ribbed)**

Chrome Plated



Order Code	Size	Std. Pkg
12202A	32 x 36	2
12202B	36 x 41	2
12202C	41 x 46	2
12202D	46 x 50	2
12202E	50 x 55	1

**104. Ring Spanners (Chrome Plated)**

Generally Conforming to IS 2029-1998




Order Code	Size mm	Size w/w	Std. Pkg
12203A	6 x 7	-	10
12203B	8 x 9	-	10
12203C	10 x 11	1/8 x 3/16	10
12203D	12 x 13	3/16 x 1/4	10
12203E	14 x 15	1/4 x 5/16	10
12203F	-	5/16 x 3/8	10
12203G	16 x 17	-	10
12203H	18 x 19	-	10
12203I	20 x 22	3/8 x 7/16	5
12203J	-	5/16 x 7/16	5
12203K	21 x 23	7/16 x 1/2	5
12203L	24 x 26	7/16 x 9/16	5
12203M	24 x 27	1/2 x 9/16	5
12203N	25 x 28	9/16 x 5/8	5
12203O	-	5/8 x 3/4	5
12203P	30 x 32	9/16 x 11/16	2
12203Q	32 x 36	-	2
12203R	36 x 41	-	2
12203S	41 x 46	-	2
12203T	46 x 50	-	2

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**105. Ring Spanners Sets**



Order-Code	Contents
12204A	6x7, 8x9, 10x11, 12x13, 14x15, 16x17
12204B	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
12204C	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27
12204D	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32
12204E	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32
12204F	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2
12204G	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4

**106. Single Ended Open Jaw Spanners**


Generally conforming to IS 2028-2004



Order Code	Size mm	Std. Pkg
12205A	19	5
12205B	24	5
12205C	30	5
12205D	32	5
12205E	36	2
12205F	38	2
12205G	41	2
12205H	46	2
12205I	50	2
12205J	55	2
12205K	60	1
12205L	65	1
12205M	70	1
12205N	75	1
12205O	80	1
12205P	85	1
12205Q	90	1
12205R	95	1
12205S	100	1
12205T	105	1
12205U	110	1
12205V	115	1
12205W	120	1
12205X	125	1
12205Y	130	1
12205Z	135	1

**107. Combination Spanners (Chrome Plated)**

Generally conforming to IS 2028-2004



Order Code	Size mm	Std. Pkg
12206A	6	1
12206B	7	1
12206C	8	1
12206D	9	1
12206E	10	1
12206F	11	1
12206G	12	1
12206H	13	1
12206I	14	1
12206J	15	1
12206K	16	1
12206L	17	1
12206M	18	1
12206N	19	1
12206O	20	1
12206P	21	1
12206Q	22	1
12206R	23	1
12206S	24	1
12206T	25	1
12206U	26	1
12206V	27	1
12206W	28	1
12206X	29	1
12206Y	30	1
12206Z	32	1

**108. Combination Spanners Sets**

As per IS 6389-1998



Order Code	Contents
12207A	8, 10, 12, 13, 14, 17
12207B	8, 9, 10, 11, 13, 14, 17, 19
12207C	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22

**109. Slogging Open Ended Spanners**

Generally Conforming to IS 4508-1992



Order Code	Size mm	Std. Pkg
12208A	27	1
12208B	30	1
12208C	32	1
12208D	34	1

12208E	36	1
12208F	38	1
12208G	41	1
12208H	46	1
12208I	50	1
12208J	55	1
12208K	60	1
12208L	65	1
12208M	70	1
12208N	75	1
12208O	80	1
12208P	85	1
12208Q	90	1
12208R	95	1
12208S	100	1
12208T	105	1
12208U	110	1
12208V	115	1
12208W	120	1

**110. Slogging Ring Spanners**

Generally Conforming to IS 4509-1992



Order Code	Size mm	Std. Pkg
12209A	27	1
12209B	30	1
12209C	32	1
12209D	34	1
12209E	36	1
12209F	38	1
12209G	41	1
12209H	46	1
12209I	50	1
12209J	55	1
12209K	60	1
12209L	65	1
12209M	70	1
12209N	75	1
12209O	80	1
12209P	85	1
12209Q	90	1
12209R	95	1
12209S	100	1
12209T	105	1
12209U	110	1
12209V	115	1
12209W	120	1

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**111. Octagonal Chisels**

Generally conforming to IS 420-1990



Order Code	Length mm	Cutting Edge mm	Std. Pkg
12210A	125	9	10
12210B	150	16	5
12210C	200	22	5
12210D	200	25	5
12210E	250	30	5
12210F	300	32	5

**112. Flat Chisels**



Order Code	Length mm	Cutting Edge mm	Std. Pkg
12211A	150	20	10
12211B	200	25	10
12211C	235	25	10


**113. Chisels with Rubber Grip**



Order Code	Length mm	Cutting Edge mm	Std. Pkg
12212A	235	25	5
12212B	250	30	2

**114. Pneumatic Chisels**

19mm A/F Octagonal Body x Hexagonal Shank 14.8 A/F x 65mm  
Generally Conforming to IS 7446-1987



Order Code	Length mm	Cutting Edge mm	Std. Pkg
12213A	150	22	3
12213B	175	22	3
12213C	200	22	3
12213D	225	22	3

**115. Centre Punches & Drift Punches**

Generally Conforming to IS 7177-1999



Order Code	Description	Length mm	Std. Pkg
12214A	Centre Punch	100	10
12214B	Centre Punch	100	10
12214C	Centre Punch	125	10
12214D	Centre Punch	150	10
12214E	Drift Punch	100	10

**116. Leather Punches**



Order Code	Length mm	Hole Size mm	Std. Pkg
12215A	100	6	10
12215B	100	8	10
12215C	100	10	10

**117. Drift, Centre & Leather Punches Set**



Order Code	Contents	Std. Pkg
12216	12214A to 12214C, 12214E, 12215A to 12215C	5

**118. Magnetic Product**



Order Code	Description	Length mm	Std. Pkg
12217A	Magnetic Bar	620	5
12217B	Round Magnetic Tray	-	1
12217C	Rectangular Magnetic Tray with Two Magnets	-	1
12217D	Magnetic Tray with Three Magnets	-	1
12217E	Magnetic Quick Clamp	-	2
12217F	Magnetic Charger	-	2
12217G	Magnetic Wrist Collector	-	2

**119. Bolt Cutters**

Generally conforming to IS 5200-1998



Order Code	Length mm	Cutting Capa. Dia mm	Std. Pkg
12218A	200	4	5
12218B	300	5	5
12218C	350	6	2
12218D	450	7	2
12218E	600	9	1
12218F	750	12	1
12218G	900	15	1
12218H	1050	18	1
12218I	1200	21	1

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**120. Spare Blades Set for Bolt cutters**



Order-Code	Length mm	Std. Pkg
12219A	300	1
12219B	350	1
12219C	450	1
12219D	600	1
12219E	750	1
12219F	900	1
12219G	1050	1

**121. Cable Cutter**



Order-Code	Size mm	Std. Pkg
12220A	160	5
12220B	210	5
12220C	240	5
12220D	240	5
12220E	460	2
12220F	600	1
12220G	800	1

**122. Tin Cutters with Sparing**

Generally Conforming to IS 6087-1971



Order-Code	Size mm	Std. Pkg
12221A	200	5
12221B	250	5
12221C	310	5
12221D	350	2

**123. Aviation Tin Cutter with Sparing**

Generally Conforming to IS 6087-1971



Order-Code	Size	Std. Pkg
12222	10	2

**124. Snap Off Cutter**



Order-Code	Size	Std. Pkg
12223	19	10

**125. Snap Off Cutter**




Order-Code	Size	Std. Pkg
12224A	9	10
12224B	18	10

**126. Utility Knife**



Order-Code	Blade Width mm	Std. Pkg
12225	19	6

**127. Spare Blade for (12225)**



Order-Code	Blade Width mm	Std. Pkg
12226	19	10

**128. Snap Off Cutter Blades**



Order-Code	Size	Std. Pkg
12227A	9	10
12227B	18	10

**129. Hacksaw Blades**

Generally conforming to IS 2594-2003



Order Code	Product Description	Std. Pkg
12228A	Carbon Steel all Hard (18 TPI)	100
12228B	Carbon Steel all Hard (24 TPI)	100

**130. Gear Pullers**

Generally conforming to IS 9193-1988



Order Code	Description	Size
12229A	3 Legs	3
12229B	3 Legs	4
12229C	3 Legs	6
12229D	3 Legs	8

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**131. Allen Keys Brown Finish (mm size)**  
Generally Conforming to IS 3082-1988




Order-Code	Size mm	Std. Pkg
12230A	1.5	50
12230B	2	50
12230C	2.5	50
12230D	3	50
12230E	4	50
12230F	5	50
12230G	6	20
12230H	8	20
12230I	10	10

**132. Allen Keys Brown Finish (Inch size)**  
Generally Conforming to IS 3082-1988



Order-Code	Size Inch	Std. Pkg
12231A	1/16	50
12231B	5/64	50
12231C	3/32	50
12231D	1/8	50
12231E	5/32	50
12231F	3/16	50
12231G	7/32	20
12231H	1/4	20
12231I	5/16	10
12231J	3/8	10

**133. Allen Keys Set (mm size)**  
**Brown Finish (9 Pcs Set)**



Order Code	Packing	Size mm	Std. Pkg
12232A	Box Packing	1.5, 2, 2.5, 3,	5
12232B	Hanger Packing	4, 5, 6, 8, 10	5

**134. Allen Keys Set (Inch size)**  
**Brown Finish (10 Pcs Set)**



Order Code	Packing	Size mm	Std. Pkg
12233A	Box Packing	1/6, 5/64, 3/32, 1/8,	5
12233B	Hanger Packing	5/32, 3/16, 7/32, 1/4, 5/16, & 3/8	5

**135. Allen Keys Black Finish (mm size)**  
Generally Conforming to IS 3082-1988



Order-Code	Size mm	Std. Pkg
12234A	1.5	50
12234B	2	50
12234C	2.5	50
12234D	3	50
12234E	4	50
12234F	5	50
12234G	6	20
12234I	8	20
12234J	10	10
12234K	12	10
12234L	14	10
12234M	17	5
12234N	19	5
12234O	22	2
12234P	24	2
12234Q	27	2
12234R	30	2
12234S	32	2
12234T	36	2

**136. Allen Keys Black Finish (Inch size)**  
Generally Conforming to IS 3082-1988



Order-Code	Size Inch	Std. Pkg
12235A	1/16	50
12235B	5/64	50
12235C	3/32	50
12235D	1/8	50
12235E	5/32	50
12235F	3/16	50
12235G	7/32	20
12235H	1/4	20
12235I	5/16	10
12235J	3/8	10
12235K	1/2	10
12235L	9/16	10
12235M	5/8	5
12235N	3/4	5
12235O	7/8	2
12235P	1	2

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**137. Allen Keys Set (mm size)**  
**Black Finish (9 Pcs Set)**



Order Code	Packing	Size mm	Std. Pkg
12236A	Box Packing	1.5, 2, 2.5, 3,	5
12236B	Hanger Packing	4, 5, 6, 8, 10	5

**138. Allen Keys Set (Inch size)**  
**Black Finish (10 Pcs Set)**



Order Code	Packing	Size Inch	Std. Pkg
12237A	Box Packing	1/6, 5/64, 3/32, 1/8,	5
12237B	Hanger Packing	5/32, 3/16, 7/32, 1/4, 5/16, & 3/8	5

**139. Allen Keys Long Ball Point (mm size)**  
 Generally Conforming to IS 3082-1988



Order Code	Size mm	Std. Pkg
12238A	1.5	25
12238B	2	25
12238C	2.5	25
12238D	3	25
12238E	4	25
12238F	5	25
12238G	6	10
12238H	8	10
12238I	10	10

**140. Allen Keys Long Ball Point (Inch size)**  
 Generally Conforming to IS 3082-1988



Order Code	Size Inch	Std. Pkg
12239A	1/16	25
12239B	5/64	25
12239C	3/32	25
12239D	1/8	25
12239E	5/32	25
12239F	3/16	25
12239G	7/32	10
12239H	1/4	10
12239I	5/16	10
12239J	3/8	10

**141. Allen Keys Long Ball Point Sets (mm size)**  
 (9 Pcs Set)



Order Code	Packing	Size mm	Std. Pkg
12240A	Hanger Packing	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	5

**142. Allen Keys Long Ball Point Sets (Inch size)**  
 Generally Conforming to IS 3082-1988  
 (10 Pcs Set)



Order Code	Packing	Size Inch	Std. Pkg
12241A	Hanger Packing	1/6, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, & 3/8	5

**143. Allen Keys Extra Long Ball Point (mm size)**  
 Generally Conforming to IS 3082-1988



Order Code	Size mm	Std. Pkg
12242A	1.5	25
12242B	2	25
12242C	2.5	25
12242D	3	25
12242E	4	25
12242F	5	25
12242G	6	10
12242H	8	10
12242I	10	10

**144. Allen Keys Extra Long Ball Point (Inch size)**  
 Generally Conforming to IS 3082-1988



Order Code	Size Inch	Std. Pkg
12243A	1/16	25
12243B	5/64	25
12243C	3/32	25
12243D	1/8	25
12243E	5/32	25
12243F	3/16	25
12243G	7/32	10
12243H	1/4	10
12243I	5/16	10
12243J	3/8	10

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
 Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
 Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
 Website: www.tesca.in

**145. Allen Keys Extra Long Ball Set** (mm size) (9 Pcs Set)



Order Code	Size mm	Std. Pkg
12244A	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	5

**146. Allen Keys Extra Long Ball Point Set** (Inch size) (10 Pcs Set)



Order Code	Size Inch	Std. Pkg
12245A	1/6, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, & 3/8	5

**147. Torx Key Sets (Short Series )**



Order Code	Size	Std. Pkg
12246A	T5	10
12246B	T6	10
12246C	T7	10
12246D	T8	10
12246E	T9	10
12246F	T10	10
12246G	T15	10
12246H	T20	10
12246I	T25	10
12246J	T27	10
12246K	T30	10
12246L	T40	10
12246M	T45	10
12246N	T50	10

**148. Torx Key Sets (Short Series ) Hanger Packing**



Order Code	Size mm	Std. Pkg
12247A	T10, T15, T20, T25, T27, T30, T40	5
12247B	T5, T6, T7, T8, T9, T10, T15, T20	5
12247C	T10, T15, T20, T25, T27, T30, T40, T45, T50	5

**149. Folding Type Key Sets (Blister Packing)**



Order Code	Key Type	Size mm	Std. Pkg
12248A	Hex Allen Key	(mm) 1, 2, 2.5, 3, 4, 5, 6, 8	5
12248B	Hex Allen Key	5/64, 3/32, 7/64, 1/8, 9/64, 5/35, 3/16, 7/32, 1/4	5
12248C	Torx Allen Key	T9, T10, T15, T20, T25, T27, T30, T40	5

Note: Specifications are subject to change.

**150. T - Handle Hex Key**



Order Code	Size mm	Std. Pkg
12249A	1.5	10
12249B	2	10
12249C	2.5	10
12249D	3	10
12249E	4	8
12249F	5	6
12249G	6	6
12249H	8	4
12249I	10	4

**151. T - Handle Hex Key**

Order Code	Size Inch	Std. Pkg
12250A	116	10
12250B	564	10
12250C	332	10
12250D	18	10
12250E	532	8
12250F	316	6
12250G	732	6
12250H	14	6
12250I	516	4
12250J	38	4

**152. T - Handle Hex Keys Set (mm Size) 9 Pcs**



Order Code	Contents	Std. Pkg
12251	Metal Handle - (mm Size) 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	1

**153. Plastic Tool Box with Organizer**



Order Code	H	W	L	Std. Pkg
12252A	150	190	335	1
12252B	195	240	435	1
12252C	250	260	495	1
12252D	235	310	585	1

**154. Plastic Tool Box with Organizer 2 in Rolling Toll Box Set**



Order Code	Size mm	Std. Pkg
12253	Top Box - 51x26x23cm, Bottom Box - 61x37x37cm	1

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension, Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India, Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com Website: www.tesca.in

**155. Organizer**



Order Code	H	W	L	Std. Pkg
12254A	50	240	310	6
12254B	80	260	360	6
12254C	60	310	380	6

**156. Tools Trolley  
5 & 7 Drawers**



Order Code	Drawer	H	W	L	Std. Pkg
12255A	5	780	520	749	1
12255B	7	935	520	749	1

**157. Spirit Level**

(1.0mm Accuracy, without magnet)



Order-Code	Size	Std. Pkg
12256A	300	5
12256B	400	5
12256C	500	2
12256D	600	2
12256E	900	2
12256F	1200	2

**158. Spirit Level**

(1.0mm Accuracy, with magnet)



Order-Code	Size	Std. Pkg
12257A	300	5
12257B	400	5
12257C	500	2
12257D	600	2
12257E	900	2

**159. Spirit Level**

(0.50mm Accuracy, without magnet)



Order-Code	Size	Std. Pkg
12258A	300	5
12258B	600	2

**160. Spirit Level**

(0.50mm Accuracy, with magnet)



Order-Code	Size	Std. Pkg
12259A	300	5
12259B	600	2

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**161. Diamond Cutting Blade  
Segmented Cut**



Order-Code	Size	Std. Pkg
12260A	110	10

**Continus Cut**



Order-Code	Size	Std. Pkg
12260B	110	10

**Turbo Cut**



Order-Code	Size	Std. Pkg
12260C	110	10

**162. TCT Wood Cutting Blade  
Professional Quality**



Order Code	Dia	Teeth	Kerf	Std. Pkg
12261A	110	30	1.8	20
12261B	110	40	1.8	20
12261C	125	40	2.0	20

**163. TCT Wood Cutting Blade  
Silver Series**



Order Code	Dia	Teeth	Kerf	Std. Pkg
12262A	110	30	1.8	10
12262B	110	40	1.8	10
12262C	125	40	1.8	10

**164. Cut of Wheel**



Order-Code	Size	Std. Pkg
12263	105 x 1.0 x 16	60



**165. SDS Hammer Drill Bits (Flat Tip)**



Order Code	Diameter x working Length x Total Length (mm)	Std. Pkg
12264A	5 x 50 x 110	10
12264B	5 x 100 x 160	10

**166. SDS Hammer Drill Bits (Cross Tip)**



Order Code	Diameter x working Length x Total Length (mm)	Std. Pkg
12265A	6 x 50 x 110	10
12265B	6 x 100 x 160	10
12265C	6.5 x 50 x 110	10
12265D	6.5 x 100 x 160	10
12265E	8 x 50 x 110	10
12265F	8 x 100 x 160	10
12265G	10 x 100 x 160	5
12265H	10 x 150 x 210	5
12265I	10 x 200 x 260	5
12265J	12 x 100 x 160	5
12265K	12 x 150 210	5
12265L	12 x 200 x 260	5
12265M	12 x 240 x 310	5
12265N	13 x 100 x 160	5
12265O	13 x 150 x 210	5
12265P	13 x 200 x 260	5
12265Q	13 x 240 x 310	5
12265R	14 x 100 x 160	5
12265S	14 x 150 x 210	5
12265T	14 x 200 x 260	5
12265U	14 x 240 x 310	5
12265V	16 x 100 x 160	5
12265W	16 x 150 x 160	5
12265X	16 x 200 x 260	5
12265Y	16 x 240 x 310	5
12265Z	18 x 150 x 210	2
12265AA	18 x 200 x 260	2
12265AB	18 x 240 x 310	2

**167. SDS Hammer Drill Bits (Cross Tip)**




Order Code	Diameter x working Length x Total Length (mm)	Std. Pkg
12266A	20 x 200 x 260	2
12266B	20 x 240 x 310	2
12266C	20 x 300 x 360	2
12266D	20 x 340 x 400	2
12266E	20 x 400 x 460	2
12266F	22 x 240 x 310	2
12266G	22 x 300 x360	2
12266H	22 x 340 x 400	2
12266I	22 x 400 x 460	2
12266J	24 x 240 x 310	2
12266K	24 x 300 x 360	2
12266L	24 x 340 x 400	2
12266M	24 x 400 x 460	2
12266N	25 x 200 x 260	2
12266O	25 x 240 x 310	2
12266P	25 x 300 x 360	2
12266Q	25 x 340 x 400	2
12266R	25 x 340 x 460	2

Note: Specifications are subject to change.


**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in




**STEEL FILES**  
Machinist's Files

**1. Flat**




Order Code Bastard	Order Code 2nd Cut	Order Code Smooth	Size mm	Std. Pkg
12267A	12267G	12267M	100	10
12267B	12267H	12267N	150	10
12267C	12267I	12267O	200	10
12267D	12267J	12267P	250	10
12267E	12267K	12267Q	300	5
12267F	12267L	12267R	350	5

**2. Hand**




Order Code Bastard	Order Code 2nd Cut	Order Code Smooth	Size mm	Std. Pkg
12268A	12268G	12268M	100	10
12268B	12268H	12268N	150	10
12268C	12268I	12268O	200	10
12268D	12268J	12268P	250	10
12268E	12268K	12268Q	300	5
12268F	12268L	12268R	350	5

**3. Round**




Order Code Bastard	Order Code 2nd Cut	Order Code Smooth	Size mm	Std. Pkg
12269A	12269G	12269M	100	10
12269B	12269H	12269N	150	10
12269C	12269I	12269O	200	10
12269D	12269J	12269P	250	10
12269E	12269K	12269Q	300	5
12269F	12269L	12269R	350	5

**4. Half Round**




Order Code Bastard	Order Code 2nd Cut	Order Code Smooth	Size mm	Std. Pkg
12270A	12270G	12270M	100	10
12270B	12270H	12270N	150	10
12270C	12270I	12270O	200	10
12270D	12270J	12270P	250	10
12270E	12270K	12270Q	300	5
12270F	12270L	12270R	350	5

**5. Three Square**



Order Code Bastard	Order Code 2nd Cut	Order Code Smooth	Size mm	Std. Pkg
12271A	12271G	12271M	100	10
12271B	12271H	12271N	150	10
12271C	12271I	12271O	200	10
12271D	12271J	12271P	250	10
12271E	12271K	12271Q	300	5
12271F	12271L	12271R	350	5


**6. Square**



Order Code Bastard	Order Code 2nd Cut	Order Code Smooth	Size mm	Std. Pkg
12272A	12272G	12272M	100	10
12272B	12272H	12272N	150	10
12272C	12272I	12272O	200	10
12272D	12272J	12272P	250	10
12272E	12272K	12272Q	300	5
12272F	12272L	12272R	350	5


**SAW FILE**

**7. Heavy Taper**



Order Code	Size mm	Std. Pkg.
12273A	100	10
12273B	125	10
12273C	150	10
12273D	200	10

**8. Regular Taper**




Order Code	Size mm	Std. Pkg.
12274A	100	10
12274B	125	10
12274C	150	10

**9. Slim Taper**




Order Code	Size mm	Std. Pkg.
12275A	100	10
12275B	125	10
12275C	150	10

**10. Mill Files**




Order Code	Size mm	Std. Pkg.
12276A	200	10
12276B	225	10
12276C	300	5

**11. Flat Super Light**




Order Code Bastard	Order Code 2nd Cut	Std. Pkg.

**12. PIT Saw**




Order Code	Size mm	Std. Pkg.
12278	110	10

**13. Flat Wood Rasp**



Order Code Bastard	Order Code 2nd Cut	Order Code Smooth	Size mm	Std. Pkg
12279A	12279D	12279G	150	10
12279B	12279E	12279H	200	10
12279C	12279F	12279I	250	10

**14. Half Round Wood Rasp**



Order Code Bastard	Order Code 2nd Cut	Order Code Smooth	Size mm	Std. Pkg
12280A	12280D	12280G	150	10
12280B	12280E	12280H	200	10
12280C	12280F	12280I	250	10

WOOD RASPS FILE

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**NON SPARKING TOLLS**

**1. Adjustable Spanners**



Order-Code	Size mm
12501AA-NST, 12501AB-NST	13*100mm
12501BA-NST, 12501BB-NST	18*150mm
12501CA-NST, 12501CB-NST	24*200mm
12501DA-NST, 12501DB-NST	30*250mm
12501EA-NST, 12501EB-NST	36*300mm
12501FA-NST, 12501FB-NST	46*375mm
12501GA-NST, 12501GB-NST	55*450mm
12501HA-NST, 12501HB-NST	65*600mm

**2. Cutting Pliers**



Order-Code	Size Inch
12502AA-NST, 12502AB-NST	8"

**3. Lineman Pliers**



Order-Code	Size Inch
12503AA-NST, 12503AB-NST	6"
12503BA-NST, 12503BB-NST	7"
12503CA-NST, 12503CB-NST	8"
12503DA-NST, 12503DB-NST	10"

**4. Long Nose Pliers**



Order-Code	Size Inch
12504AA-NST, 12504AB-NST	6"
12504BA-NST, 12504BB-NST	8"

**5. Diagonal Cutting Pliers**



Order-Code	Size Inch
12505AA-NST, 12505AB-NST	6"
12505BA-NST, 12505BB-NST	8"

**6. Snap Ring (Internal) Pliers**



Order-Code	Size Inch
12506AA-NST, 12506AB-NST	8"
12506BA-NST, 12506BB-NST	10"

**7. Snap Ring (External) Pliers**



Order-Code	Size Inch
12507AA-NST, 12507AB-NST	8"
12507BA-NST, 12507BB-NST	10"

**8. Slotted Screw Driver**



Order-Code	Size mm
12508AA-NST, 12508AB-NST	100*4mm
12508BA-NST, 12508BB-NST	100*5mm
12508CA-NST, 12508CB-NST	100*6mm
12508DA-NST, 12508DB-NST	150*6mm
12508EA-NST, 12508EB-NST	150*8mm
12508FA-NST, 12508FB-NST	200*8mm
12508GA-NST, 12508GB-NST	250*9mm
12508HA-NST, 12508HB-NST	300*10mm
12508IA-NST, 12508IB-NST	400*12mm

**9. Phillips Screw Driver**



Order-Code	Size mm
12509AA-NST, 12509AB-NST	50mm
12509BA-NST, 12509BB-NST	75mm
12509CA-NST, 12509CB-NST	100mm
12509DA-NST, 12509DB-NST	150mm
12509EA-NST, 12509EB-NST	200mm
12509FA-NST, 12509FB-NST	250mm
12509GA-NST, 12509GB-NST	300mm
12509HA-NST, 12509HB-NST	350mm
12509IA-NST, 12509IB-NST	400mm

**10. Pipe Wrenches**



Order-Code	Size mm
12510AA-NST, 12510AB-NST	25*200mm
12510BA-NST, 12510BB-NST	30*250mm
12510CA-NST, 12510CB-NST	40*300mm
12510DA-NST, 12510DB-NST	50*350mm
12510EA-NST, 12510EB-NST	60*450mm
12510FA-NST, 12510FB-NST	75*600mm
12510GA-NST, 12510GB-NST	125*900mm
12510HA-NST, 12510HB-NST	150*1200mm

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**11. Hammer with Handle (Ball Pein)**



Order-Code	Weight Gms
12511AA-NST, 12511AB-NST	230
12511BA-NST, 12511BB-NST	340
12511CA-NST, 12511CB-NST	450
12511DA-NST, 12511DB-NST	680
12511EA-NST, 12511EB-NST	910
12511FA-NST, 12511FB-NST	1130

**12. Double Open End Spanners**



Order-Code	Size mm
12512AA-NST, 12512AB-NST	6*7mm
12512BA-NST, 12512BB-NST	8*9mm
12512CA-NST, 12512CB-NST	10*11mm
12512DA-NST, 12512DB-NST	12*13mm
12512EA-NST, 12512EB-NST	14*15mm
12512FA-NST, 12512FB-NST	16*17mm
12512GA-NST, 12512GB-NST	18*19mm
12512HA-NST, 12512HB-NST	20*22mm
12512IA-NST, 12512IB-NST	21*23mm
12512JA-NST, 12512JB-NST	24*27mm
12512KA-NST, 12512KB-NST	25*28mm
12512LA-NST, 12512LB-NST	30*32mm

**13. Ring Spanners**



Order-Code	Size mm
12513AA-NST, 12513AB-NST	6*7mm
12513BA-NST, 12513BB-NST	8*9mm
12513CA-NST, 12513CB-NST	10*11mm
12513DA-NST, 12513DB-NST	12*13mm
12513EA-NST, 12513EB-NST	14*15mm
12513FA-NST, 12513FB-NST	16*17mm
12513GA-NST, 12513GB-NST	18*19mm
12513HA-NST, 12513HB-NST	20*22mm
12513IA-NST, 12513IB-NST	21*23mm
12513JA-NST, 12513JB-NST	24*27mm
12513KA-NST, 12513KB-NST	25*28mm
12513LA-NST, 12513LB-NST	30*32mm

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**14. Single Ended Open Ended Jaw Spanners**



Order-Code	Size mm
12514AA-NST, 12514AB-NST	8mm
12514BA-NST, 12514BB-NST	10mm
12514CA-NST, 12514CB-NST	12mm
12514DA-NST, 12514DB-NST	14mm
12514EA-NST, 12514EB-NST	17mm
12514FA-NST, 12514FB-NST	19mm
12514GA-NST, 12514GB-NST	22mm
12514HA-NST, 12514HB-NST	24mm
12514IA-NST, 12514IB-NST	27mm
12514JA-NST, 12514JB-NST	30mm
12514KA-NST, 12514KB-NST	32mm
12514LA-NST, 12514LB-NST	34mm
12514MA-NST, 12514MB-NST	36mm
12514NA-NST, 12514NB-NST	41mm
12514OA-NST, 12514OB-NST	46mm
12514PA-NST, 12514PB-NST	50mm
12514QA-NST, 12514QB-NST	55mm
12514RA-NST, 12514RB-NST	60mm
12514SA-NST, 12514SB-NST	65mm
12514TA-NST, 12514TB-NST	70mm
12514UA-NST, 12514UB-NST	75mm

**15. Sledge Hammer with Handl**



Order-Code	Weight Gms
12515AA-NST, 12515AB-NST	450 Gms
12515BA-NST, 12515BB-NST	1000 Gms
12515CA-NST, 12515CB-NST	1400 Gms
12515DA-NST, 12515DB-NST	1500 Gms
12515EA-NST, 12515EB-NST	1800 Gms
12515FA-NST, 12515FB-NST	2000 Gms
12515GA-NST, 12515GB-NST	2200 Gms
12515HA-NST, 12515HB-NST	2500 Gms
12515IA-NST, 12515IB-NST	2700 Gms
12515JA-NST, 12515JB-NST	3000 Gms
12515KA-NST, 12515KB-NST	3600 Gms
12515LA-NST, 12515LB-NST	4000 Gms
12515MA-NST, 12515MB-NST	4500 Gms
12515NA-NST, 12515NB-NST	5000 Gms
12515OA-NST, 12515OB-NST	5400 Gms
12515PA-NST, 12515PB-NST	6400 Gms
12515QA-NST, 12515QB-NST	7200 Gms
12515RA-NST, 12515RB-NST	8000 Gms
12515SA-NST, 12515SB-NST	8200 Gms
12515TA-NST, 12515TB-NST	9100 Gms
12515UA-NST, 12515UB-NST	9900 Gms

**16. Slugging Ring Spanners**



Order-Code	Size mm
12516AA-NST, 12516AB-NST	17 mm
12516BA-NST, 12516BB-NST	19 mm
12516CA-NST, 12516CB-NST	22 mm
12516DA-NST, 12516DB-NST	24 mm
12516EA-NST, 12516EB-NST	26 mm
12516FA-NST, 12516FB-NST	27 mm
12516GA-NST, 12516GB-NST	28 mm
12516HA-NST, 12516HB-NST	30 mm
12516IA-NST, 12516IB-NST	32 mm
12516JA-NST, 12516JB-NST	34 mm
12516KA-NST, 12516KB-NST	36 mm
12516LA-NST, 12516LB-NST	38 mm
12516MA-NST, 12516MB-NST	40 mm
12516NA-NST, 12516NB-NST	41 mm
12516OA-NST, 12516OB-NST	42 mm
12516PA-NST, 12516PB-NST	45 mm
12516QA-NST, 12516QB-NST	46 mm
12516RA-NST, 12516RB-NST	50 mm
12516SA-NST, 12516SB-NST	52 mm
12516TA-NST, 12516TB-NST	55 mm
12516UA-NST, 12516UB-NST	60 mm
12516VA-NST, 12516VB-NST	65 mm
12516WA-NST, 12516WB-NST	70 mm
12516XA-NST, 12516XB-NST	75 mm
12516YA-NST, 12516YB-NST	80 mm
12516ZA-NST, 12516ZB-NST	85 mm
12516AAA-NST, 12516AAB-NST	90 mm
12516ABA-NST, 12516ABB-NST	95 mm
12516ACA-NST, 12516ACB-NST	100 mm
12516ADA-NST, 12516ADB-NST	105 mm
12516AEA-NST, 12516AEB-NST	110 mm

**17. Combination Spanners**



Order-Code	Size mm
12517AA-NST, 12517AB-NST	6 mm
12517BA-NST, 12517BB-NST	7 mm
12517CA-NST, 12517CB-NST	8 mm
12517DA-NST, 12517DB-NST	9 mm
12517EA-NST, 12517EB-NST	10 mm
12517FA-NST, 12517FB-NST	11 mm
12517GA-NST, 12517GB-NST	12 mm
12517HA-NST, 12517HB-NST	13 mm
12517IA-NST, 12517IB-NST	14 mm
12517JA-NST, 12517JB-NST	15 mm
12517KA-NST, 12517KB-NST	16 mm
12517LA-NST, 12517LB-NST	17 mm
12517MA-NST, 12517MB-NST	18 mm
12517NA-NST, 12517NB-NST	19 mm
12517OA-NST, 12517OB-NST	20 mm
12517PA-NST, 12517PB-NST	21 mm
12517QA-NST, 12517QB-NST	22 mm
12517RA-NST, 12517RB-NST	23 mm
12517SA-NST, 12517SB-NST	24 mm
12517TA-NST, 12517TB-NST	25 mm
12517UA-NST, 12517UB-NST	26 mm
12517VA-NST, 12517VB-NST	27 mm
12517WA-NST, 12517WB-NST	28 mm
12517XA-NST, 12517XB-NST	29 mm
12517YA-NST, 12517YB-NST	30 mm
12517ZA-NST, 12517ZB-NST	31 mm
12517AAA-NST, 12517AAB-NST	32 mm

**18. Crate Opener**



Order-Code	Size mm
12518AA-NST, 12518AB-NST	230mm

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**19. Slugging Open Ended Spanners**



Order-Code	Size mm
12519AA-NST, 12519AB-NST	17 mm
12519BA-NST, 12519BB-NST	18 mm
12519CA-NST, 12519CB-NST	19 mm
12519DA-NST, 12519DB-NST	22 mm
12519EA-NST, 12519EB-NST	24 mm
12519FA-NST, 12519FB-NST	26 mm
12519GA-NST, 12519GB-NST	27 mm
12519HA-NST, 12519HB-NST	28 mm
12519IA-NST, 12519IB-NST	29 mm
12519JA-NST, 12519JB-NST	30 mm
12519KA-NST, 12519KB-NST	32 mm
12519LA-NST, 12519LB-NST	36 mm
12519MA-NST, 12519MB-NST	38 mm
12519NA-NST, 12519NB-NST	41 mm
12519OA-NST, 12519OB-NST	42 mm
12519PA-NST, 12519PB-NST	45 mm
12519QA-NST, 12519QB-NST	46 mm
12519RA-NST, 12519RB-NST	50 mm
12519SA-NST, 12519SB-NST	52 mm
12519TA-NST, 12519TB-NST	55 mm
12519UA-NST, 12519UB-NST	56 mm
12519VA-NST, 12519VB-NST	60 mm
12519WA-NST, 12519WB-NST	63 mm
12519XA-NST, 12519XB-NST	65 mm
12519YA-NST, 12519YB-NST	70 mm
12519ZA-NST, 12519ZB-NST	75 mm
12519AAA-NST, 12519AAB-NST	76 mm
12519ABA-NST, 12519ABB-NST	80 mm
12519ACA-NST, 12519ACB-NST	90 mm

**20. Flat Chisels**



Order-Code	Size mm
12520AA-NST, 12520AB-NST	14*160 mm
12520BA-NST, 12520BB-NST	16*160 mm
12520CA-NST, 12520CB-NST	18*160 mm
12520DA-NST, 12520DB-NST	18*200 mm
12520EA-NST, 12520EB-NST	20*200 mm
12520FA-NST, 12520FB-NST	24*250 mm
12520GA-NST, 12520GB-NST	24*300 mm
12520HA-NST, 12520HB-NST	25*300 mm

**21. Hacksaw Blades**



Order-Code	Size mm
12521AB-NST	300mm

**22. Hacksaw Frames**



Order-Code	Size mm
12522AA-NST, 12522AB-NST	300mm

Note: Specifications are subject to change.

**Tesca Technologies Pvt. Ltd.**

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in

**23. Allen Keys (mm Size)**



Order-Code	Size mm
12523AA-NST, 12523AB-NST	1.5 mm
12523BA-NST, 12523BB-NST	2 mm
12523CA-NST, 12523CB-NST	2.5 mm
12523DA-NST, 12523DB-NST	3 mm
12523EA-NST, 12523EB-NST	4 mm
12523FA-NST, 12523FB-NST	5 mm
12523GA-NST, 12523GB-NST	6 mm
12523HA-NST, 12523HB-NST	7 mm
12523IA-NST, 12523IB-NST	8 mm
12523JA-NST, 12523JB-NST	9 mm
12523KA-NST, 12523KB-NST	10 mm
12523LA-NST, 12523LB-NST	11 mm
12523MA-NST, 12523MB-NST	12 mm
12523NA-NST, 12523NB-NST	13 mm
12523OA-NST, 12523OB-NST	14 mm
12523PA-NST, 12523PB-NST	15 mm
12523QA-NST, 12523QB-NST	16 mm
12523RA-NST, 12523RB-NST	17 mm
12523SA-NST, 12523SB-NST	18 mm
12523TA-NST, 12523TB-NST	19 mm
12523UA-NST, 12523UB-NST	21 mm
12523VA-NST, 12523VB-NST	22 mm

**24. Allen Keys (Inch Size)**



Order-Code	Size Inch
12524AA-NST, 12524AB-NST	1/6"
12524BA-NST, 12524BB-NST"	5/64"
12524CA-NST, 12524CB-NST	3/32"
12524DA-NST, 12524DB-NST	4/64"
12524EA-NST, 12524EB-NST	4/8"
12524FA-NST, 12524FB-NST	9/64"
12524GA-NST, 12524GB-NST	5/32"
12524HA-NST, 12524HB-NST	3/16"
12524IA-NST, 12524IB-NST	7/32"
12524JA-NST, 12524JB-NST	1/4"
12524KA-NST, 12524KB-NST	9/32"
12524LA-NST, 12524LB-NST	5/16"
12524MA-NST, 12524MB-NST	11/32"
12524NA-NST, 12524NB-NST	3/8"

**25. Oxygne Bottle Wrench**



Order-Code	Size mm
12525AA-NST, 12525AB-NST	154mm

**26. Common Knife**



Order-Code	Size mm
12522AA-NST, 12522AB-NST	185mm
12522BA-NST, 12522BB-NST	250mm