

**Description:-**

Virtual Make Pigmy Type Water Current Meter Along With Micro-Controller Based Digital Counter Or Water Velocity Indicator Has Been Designed To Measure The Velocity Of Water In A Flowing Stream Or Open Canal. It Comprises A Pigmy Type Water Current Meter With Wading Rod And & Digital Counter / Digital Water Velocity Indicator (As Per Customer Requirement). Water Current Meter Employs A Bucket Wheel Assembly That Is Mounted Upon A Shaft And Rotates In Response To Fluid Flow, Generating A Signal That Is Proportional To The Fluid Flow Velocity. The Current Bucket Wheel Assembly Is Made Of Plated Brass. It Employs Six Hollow Conical Cups That Are Hand Formed From Sheet Metal And Individually Soldered To A Brass, Star-Shaped Frame. The Finished Unit Is Then Plated. The Frame Is Shaped So That A Strut Connects The Apex Of Each Cup To The Outer Diameter Of The Following Cup Around The Frame.

The Pygmy Water Current Meter Can Be Suspended By Wading Rod From An Overhead Structure. Velocity Is Determined By Counting The Number Of Revolutions Of The Bucket Wheel Over A Given Period Of Time. Revolutions Can Be Monitored By Several Means (sold Separately).

**Specifications:-**

- Model: Pygmy
- Current Meter Body: All Parts Of Brass, Chrome Plated
- Operating Range: 0.3 To 3.5 Meter Per Second
- Accuracy: For Velocities Upto 0.3 M/S, 1% Full Scale, For Velocities >0.3 M/S, 0.5% Full Scale
- Contact Chamber: Magnetic
- Dimension: Bucket End Diameter: 2.0 Inch,
- Rates Spin Test: > 75 Seconds

*Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.*



Export Sales: +91-9829132777  
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,  
Sitapura Extension, Jaipur-302022, India.



info@tesca.in  
www.tescaglobal.com