



**Specifications:-**

- Display:
  - Active Screen Size: 75"
  - Backlight: Dled
  - Active Area: 1652 X 930 Mm
  - Display Ratio: 16:9
  - Resolution: 3840 X 2160 (4K)
  - Colors: 1.07billion (10 Bit )
  - Brightness: >450 Cd/M<sup>2</sup>
  - Contrast Ratio: 15000:1
  - Response Time: 4ms
  - Viewing Angle: H = 178, V = 178 Typ
  - Display Life Time: ≥ 5000 Hours
- Electrical Parameter:
  - Working Voltage: Ac100-240v Max 6.2a
  - Power Consumption: <240W
  - Power Consumption (Standby Mode): <0.5W
- Touch Technology:
  - Touch Solution:Advanced Ir
  - Glass Surface Technology: Anti-Glare+Anti-Fingerprint + Antimicrobial Tempered Glass
  - Transparency: 88%±3
  - Touch Surface Hardness (Mohs): 7h
  - Touch Points: 20 Point
  - Touch Screen Writing Tools: Passive Pen / Fingers

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777  
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,  
Sitapura Extension, Jaipur-302022, India.



info@tesca.in  
www.tescaglobal.com





- Speaker:
  - Speaker Position: Bottom Front
  - Speaker Rated Impedance: 6Ω
  - Speaker Freq.Response: 180hz-20khz When Spl Is -10dB
  - Output S.P.L.: 0db~ -10dB
  - Speaker Max.Power Output: 20wx2
- Transportation / Storage:
  - Storage Temperature/Humidity: -20~60°C , 0~90%Rh (non-condensing)
  - Working Temperature/Humidity: , 0~40°C , 20~80%Rh (non-condensing) Mm
  - Installation Method (optional): Wall-Mounted / Mobile Stand
  - Outline Dimension (without Wall Mount Bracket Thickness): 1735 X 1049 X 120mm
  - Packing Dimension: 1859 X 227 X 1160
  - Vesa Mount: 800\*400
  - Net Weight (tbc): 52 Kg
  - Gross Weight (tbc): 66 Kg
- Smart System:
  - Soc Chipset: Amlogic 311d2
  - Cpu: A73\*4 + A53\*4 (4 Core + 4 Core)
  - Gpu: G52\*8 (8 Core)
  - Ram: 4gb Ddr4
  - Flash Memory: 32gb
  - Built In Extra Memory: 32gb / Upgraded To 64gb
  - Android Version: Android 11
  - Multimedia File Formats Support: Image: Jpeg, Bmp, Png, Video: Mpeg1, Mpeg2, Mpeg4,Sorensonh.263, H.263, H.264, Hvc/H.265, Mvc, Avs, Avs+, Wmv3, Vc1, Motion Jpeg, Vp8, Vp9, Rv30/Rv40 , Audio: Mpeg1/2 @LAYER1; @LAYER2; @LAYER3, Eac3, Acc-Lc, Heaac, Vorbis, Lpcm, Ima-Adpcm, Ms-Adpcm, G711 A/Mu-Law, Lbr(Cook), Flac
- Front I/O Ports:
  - Usb Type-C (PD 65w): 1
  - Hdmi In 2.0: 1
  - Usb Type-B (Touch): 1
  - Usb 3.0 Type-A: 1
  - Microphone In: 1

Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777  
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,  
Sitapura Extension, Jaipur-302022, India.



info@tesca.in  
www.tescaglobal.com



- Rear I/O Ports:
  - Hdmi In 2.0: 2
  - Displayport 1.2: 1
  - Usb Type-B (Touch): 3
  - Usb 3.0 Type-C (no Pd): 1
  - Usb 3.0 Type-A: 2
  - Usb 3.0 Type-A To Android: 1
  - Hdmi Out 2.0: 1
  - Rs232: 1
  - Rj45 (Gigabit): In\*1 & Out\*1: 1
  - Ops Slot: 1
  - Spdif: 1
  - Audio Line Out: 1
  - Wifi Module Slot(Wifi Module Is Standard): 1
- Wifi Module:
  - Parameters: Built-In Wi-Fi 6 Module, With A Frequency Range Of 2.4/5 Ghz



Note: Specifications are subject to change, Photos shown above are Indicative, Actual Product can Vary.



Export Sales: +91-9829132777  
India Sales: +91-9588842361



IT-2013, Ramchandrapura Industrial Area,  
Sitapura Extension, Jaipur-302022, India.



info@tesca.in  
www.tescaglobal.com